

# **SANMINA CORPORATION**

## **Traditional Ship Notice/Manifest INBOUND**

856

## VERSION

## 004010

Prepared By: Sanmina Information Technology & Services Date : December 9, 2019 Version : 11

## 856 Ship Notice/Manifest

## Functional Group ID=SH

#### **Introduction:**

This standard contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, and carrier information.

#### **Heading:**

Pos.	Seg.		X12	Sanmina		Loop	Notes and
<u>No.</u>	ID	Name	Req.	Required	Max.Use	Repeat	Comments
010	ST	Transaction Set Header	M	М	1		
020	BSN	Beginning Segment for Ship Notice	М	М	1		
040	DTM	Date/Time Reference	0	М	10		

#### Shipping:

Pos. No.	Seg.	Name	X12 Reg.	Sanmina Required	Max.Use	Loop Repeat	Notes and Comments
		LOOP ID – HL				1	
010	HL	Hierarchical Level (Shipment)	М	М	1		
080	MEA	Measurements	0	0	40		
120	TD5	Carrier Details	М	М	12		
150	REF	Reference Identification	0	М	>1		
		LOOP ID – N1				200	
220	N1	Name	0	М	1		

#### Item:

Pos. <u>No.</u>	Seg. ID	Name	X12 Req.	Sanmina Required	Max.Use	Loop Repeat	Notes and Comments
		LOOP ID – HL				199999	
010	HL	Hierarchical Level (Item)	М	М	1		
020	LIN	Item Identification	0	М	1		
030	SN1	Item Detail (Shipment)	0	М	1		
050	PRF	Purchase Order Reference	0	М	1		

#### **Summary:**

Pos.	Seg.		X12	Sanmina		Loop	Notes and
<u>No.</u>	ID	Name	Req.	Required	Max.Use	Repeat	Comments
010	CTT	Transaction Totals	0	М	1	-	N1
020	SE	Transaction Set Trailer	М	М	1		

#### **Transaction Set Notes**

- 1. Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.
- 2. The HL segment is the only mandatory segment within the HL loop, and by itself, the segment has no meaning.

Available characters: A-Z, a-z, 0-9, ., -, +, {, }, [, ], 9, 0, :, ;,  $\Im$ , |, <, >, !, ``, \$, ~, ^, &, #, =, |, @

Segment:	<b>ST</b> Transaction Set Header
Position:	010
Loop:	
Level:	Heading
X12 Usage:	Mandatory
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of a transaction set and to assign a control number
Syntax Notes:	
Semantic Notes:	<ol> <li>The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 856 Ship Notice/Manifest).</li> </ol>

**Comments:** 

## Data Element Summary

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	ST01	143	Transaction Set Identifier Code	ID 3/3
			Code uniquely identifying a Transaction Set	
			856 Ship Notice/Manifest	
Must Use	ST02	329	Transaction Set Control Number	AN 4/9
			Identifying control number assigned by the originator	
			for a transaction set.	

ST~856~0008}

Segment:	<b>BSN</b> Beginning Segment for Ship Notice
<b>Position:</b>	020
Loop:	
Level:	Heading
X12 Usage:	Mandatory
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To transmit identifying numbers, dates and other basic data relating to the transaction set.
Syntax Notes:	
Semantic Notes:	<b>1</b> BSN03 is the date the shipment transaction set is created.
	<b>2</b> BSN04 is the time the shipment transaction set is created.

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	BSN01	353	Transaction Set Purpose Code	ID 2/2
			Code identifying purpose of transaction set.	
			00 Original	
Must Use	BSN02	396	Shipment Identification	AN 2/30
			A unique control number assigned by the original shipper	
			to identify a specific shipment	
Must Use	BSN03	373	Date	DT 8/8
			Date expressed as CCYYMMDD	
Must Use	BSN04	337	Time	TM 4/8
			GMT Time expressed in 24-hour clock time as follows.	
			HHMMSS	

BSN~00~1206670124~20140804~102846}

Segment:	${f DTM}$ Date/Time Reference
Position:	040
Loop:	
Level:	Heading
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	>1
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 or DTM03
	2 If DTM04 is present, then DTM03 is required.

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<u>Required</u>	Desc.	<u>Element</u>		
Must Use	DTM01	374	Date/Time Qualifier	ID 3/3
			Code specifying type of date or time, or both date and	
			time.	
			011 Shipped Date (Must Use)	
			017 Delivery Date ( <b>Optional</b> )	
Must Use	DTM02	373	Date	8/8
			Date expressed as CCYYMMDD	
			Date product was shipped to Sanmina.	
Must Use	DTM03	337	Time	TM 4/8
			Time expressed as HHMMSS	
Must Use	DTM04	623	Time Code	ID 2/2
			GM Greenwich Mean Time	

DTM~011~20140804~102846~GM} DTM~017~20140809~102846~GM}

Segment:	HL Hierarchical Level
Position:	010
Loop:	HL
Level:	Shipping
X12 Usage:	Mandatory
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To identify dependencies among and the content of hierarchically related groups
	of data segments.
Syntax Notes:	
Semantic Notes:	
<b>Comments:</b>	1 The HL segment is used to identify levels of detail information using a
	hierarchical structure, such as relating line-item data to shipment data, and
	packaging data to line-item data.
	2 The HL segment defines a top down/left-right ordered structure.
	3 HL01 shall contain a unique alphanumeric number for each occurrence of
	the HL segment in the transaction set.
	4 HL02 identifies the hierarchical ID number of the HL segment to which the

# 4 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.

### Data Element Summary

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<u>Required</u>	Desc.	<u>Element</u>		
Must Use	HL01	628	Hierarchical ID Number	AN 1/12
			A unique number assigned by the sender to identify a	
			particular data segment in a hierarchical structure.	
	HL02	734	Hierarchical Parent ID Number	AN 1/12
			Code defining the characteristic of a hierarchical	
			structure	
Must Use	HL03	735	Hierarchical Level Code	ID 1/2
			Code defining the characteristic of a level in a	
			hierarchical structure.	
			S – Shipment	

HL~1~~S}

Segment:	MEA Measurements
Position:	080
Loop:	HL
Level:	Shipping
X12 Usage:	Optional
Sanmina Usage:	Optional
Max Use:	40
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weight.
Notes: Syntax Notes:	Recommended for use at the "Shipment" HL level.

1 MEA04 defines the unit of measure for MEA03.

### Data Element Summary

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<u>Required</u>	Desc.	<u>Element</u>		
	MEA01	737	Measurement Reference ID Code	ID 2/2
			Code identifying the broad category to which a	
			measurement applies	
			PD Physical Dimensions	
	MEA02	738	Measurement Qualifier	AN 1/3
			Code identifying a specific product or process	
			characteristic to which a measurement applies	
			G Gross Weight	
			N Actual Net Weight	
	MEA03	739	Measurement Value	R 1/20
			The value of the measurement	
	MEA04	C001	Composite Unit of Measure	
			To identify a composite unit of measure (See Figures	
			Appendix for examples of use)	
		355	Unit or Basis for Measurement Code	ID 2/2
			Code specifying the units in which a value is being	
			expressed, or manner in which a measurement has been	
			taken	
			KG Kilogram	
			LB Pound	

 $MEA \sim PD \sim G \sim 50 \sim LB$ }

Segment:	${f TD5}$ Carrier Details (Routing Sequence/Transit Time)
Position:	120
Loop:	HL
Level:	Shipping
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time
Syntax Notes:	<ul> <li>information. Used at shipment level.</li> <li>At least one of TD502 TD504 or TD505 is required.</li> <li>If TD502 is present, then TD503 is required.</li> </ul>

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<u>Required</u>	Desc.	<u>Element</u>		
	TD501	133	Routing Sequence CodeCode describing the relationship of a carrier to a specificshipment movementOOrigin Carrier (Air, Motor, or Ocean)	ID 1/2
	TD502	66	Identification Code qualifierCode designating the system/method of code structureused for Identification Code (67)2Standard Carrier Alpha Code	ID 1/2
	TD503	67	Identification Code Code identifying a party or other code Sanmina Corp. requests the SCAC code in this field.	AN 2/80
	TD504	91	Transportation Method / Type CodeCode specifying the method or type of transportation forthe shipment.(Most 3 <sup>rd</sup> party logistic centers will use supplier truckcode)AAirAEAir ExpressDParcel PostEEExpedited TruckHCustomer PickupMMotor (Common Carrier)SRSupplier TruckUPrivate Parcel Service	ID 1/2
Must Use	TD505	387	<b>Routing</b> Free-form description of the routing or requested routing for shipment, or the originating carrier's identity Carrier name	AN 1/35

TD5~~~~USF HOLLAND}

Segment:	<b>REF</b> Reference Numbers
Position:	150
Loop:	HL
Level:	Shipping
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	11
Purpose:	To specify identifying numbers. Used at shipment level.
Syntax Notes:	
	1 If either C04003 or C04004 is present, then the other is required.
	<b>2</b> If either C04005 or C04006 is present, then the other is required.

<u>Sanmina</u> <u>Required</u>	<u>Ref.</u> <u>Desc.</u>	<u>Data</u> <u>Element</u>	Name	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Information PK Packing Slip (Must send) WY Waybill Number (Must send) AW Air Waybill Number (Optional) BM Bill of Lading Number (Optional)	ID 2/2
Must Use	REF02	127	Reference Number Reference Number	AN 1/30

REF~PK~661324532} REF~AW~45324532} REF~BM~A324563} REF~WY~561324532}

Segment:	N1 Name
Position:	220
Loop:	N1
Level:	Shipping
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	1 At least one of N102 or N103 is required.
	2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	<ol> <li>This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.</li> </ol>

Please use the following URL to find a complete list of ship to codes that may be used by Sanmina: <a href="https://www.sanmina.com/partners/partner-programs/">https://www.sanmina.com/partners/partner-programs/</a>

Scroll and look for PDF document "Ship to Address Codes".

#### **Data Element Summary**

Sanmina	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	N101	98	Entity Identifier Code	ID 2/3
			Code identifying an organizational entity or a physical	
			location.	
			SE Seller Party	
			ST Ship To	
Must Use	N102	93	Name	AN 1/60
			Free-form name	
Must Use	N103	66	Identification Code Qualifier	ID 1/2
			Code designating the system/method of code structure	
			used for Identification Code (67)	
			92 Assigned by Buyer or Buyer's Agent.	
Must Use	N104	67	Identification Code	AN 2/80
			Code identifying a party or other code.	
			Sanmina's supplier code when N101 is SE.	
			Sanmina's plant code when N101 is ST.	

N1~SE~XYZ Corporation~92~XYZ001} N1~ST~SANMINA CORPORATION~92~12255}

Segment:	HL Hierarchical Level
Position:	010
Loop:	HL
Level:	Item
X12 Usage:	Mandatory
Sanmina Usage:	Mandatory
Max Use:	199999
Purpose:	To identify dependencies among and the content of hierarchically related groups
	of data segments.
Syntax Notes:	
Semantic Notes:	
<b>Comments:</b>	1 The HL segment is used to identify levels of detail information using a
	hierarchical structure, such as relating line-item data to shipment data, and
	packaging data to line-item data.
	2 The HL segment defines a top down/left-right ordered structure.
	3 HL01 shall contain a unique alphanumeric number for each occurrence
	of the HL segment in the transaction set.
	4 HL02 identifies the hierarchical ID number of the HL segment to which the

current HL segment is subordinate.

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	HL01	628	Hierarchical ID Number	AN 1/12
			A unique number assigned by the sender to identify a	
			particular data segment in a hierarchical structure.	
	HL02	734	Hierarchical Parent ID Number	AN 1/12
			Code defining the characteristic of a hierarchical	
			structure	
Must Use	HL03	735	Hierarchical Level Code	ID 1/2
			Code defining the characteristic of a level in a	
			hierarchical structure.	
			I – Item	

 $HL \sim 2 \sim \sim I \}$ 

Segment:	$\operatorname{LIN}$ Item Identification
Position:	010
Loop:	HL
Level:	Item
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To specify basic item identification data. Used at Item level.
Syntax Notes:	1 If either LIN04 or LIN05 is present, then the other is required.
	2 If either LIN06 or LIN07 is present, then the other is required.
	<b>3</b> If either LIN08 or LIN09 is present, then the other is required.
Semantic Notes:	1 LIN01 is the line item identification
<b>Comments:</b>	2 LIN02 through LIN09 provide for different product/service IDs for each
	item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No.,
	Model No., or SKU.

<u>Sanmina</u> Required	Ref. Desc.	<u>Data</u> Element	Name	<u>Attributes</u>
	LIN01	350	Assigned Identification Shipment line number	AN 1/11
Must Use	LIN02	235	Product/Service ID QualifierCode identifying the type/source of the descriptivenumber used in Product/Service ID (234)BPBuyer's Part Number	ID 2/2
Must Use	LIN03	234	<b>Product/Service ID</b> Identifying number for a product or service Sanmina's Part Number	AN 1/48
	LIN04	235	Product/Service ID QualifierCode identifying the type/source of the descriptivenumber used in Product/Service ID (234)ECEngineering Change Level	ID 2/2
	LIN05	234	<b>Product/Service ID</b> Identifying number for a product or service Sanmina's Part Revision	AN 1/48
Must Use	LIN06	235	<b>Product/Service ID Qualifier</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) MG Manufacturer's Part Number	ID 2/2
Must Use	LIN07	234	<b>Product/Service ID</b> Identifying number for a product or service Manufacturer's Part Number	AN 1/48
Must Use	LIN08	235	Product/Service ID QualifierCode identifying the type/source of the descriptivenumber used in Product/Service ID (234)MFManufacturer	ID 2/2
Must Use	LIN09	234	<b>Product/Service ID</b> Identifying number for a product or service Manufacturer's Name	AN 1/48

LIN~~BP~LFSYS278151~EC~1~MG~LT1121CS8~MF~XYZ Corporation}

Segment:	${ m SN1}$ Item Detail Shipment
Position:	030
Loop:	HL
Level:	Item
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To specify line-item detail relative to shipment.
Syntax Notes:	
Semantic Notes:	<b>1</b> SN101 is the ship notice line-item identification.
<b>Comments:</b>	1 SN103 defines the unit of measurement for both SN102 and SN104.

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	SN101	350	Assigned Identification	AN 1/20
			Alphanumeric characters assigned for differentiation	
			within a transaction set.	
			Shipment Line Number	
Must Use	SN102	382	Number of Units Shipped	R 1/10
			Numeric value of units shipped in manufacturers	
			shipping units for a line item or transaction set.	
Must Use	SN103	355	Unit or Basis for Measurement Code	ID 2/2
			Code specifying the units in which a value being	
			expressed, or manner in which a measurement has been	
			taken. EA – each	

SN1~1~1500~EA}

Segment:	<b>PRF</b> Reference Numbers
<b>Position:</b>	050
Loop:	HL
Level:	Item
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To provide reference to a specific purchase order. Used at Item level.
Syntax Notes:	
Semantic Notes:	1 PRF04 is the date assigned by the purchaser to purchase order.
<b>Comments:</b>	

<u>Sanmina</u>	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	PRF01	324	Purchase Order Number	AN 1/22
			Identifying number for purchase order assigned by the	
			order/purchaser.	
			Sanmina's Purchase Order Number	
			One Purchase Order per shipment	
	PRF02	328	Release number	AN 1/30
	PRF04	373	Date	DT 8/8
			Expressed as CCYYMMDD	
			PO Date	
	PRF05	350	Assigned Identification	AN 1/20
			Alphanumeric characters assigned for differentiation	
			within a transaction set.	
			This number is the Delivery Identification Number – a	
			concatenation of Sanmina's release number, line number	
			and shipment number.	

PRF~B3412456~14~~20140804~014001001}

Segment:	CTT Transaction Totals
Position:	010
Loop:	
Level:	Summary
X12 Usage:	Optional
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To transmit a hash total for a specific element in the transaction set
Syntax Notes:	
Semantic Notes:	
Comments:	1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

<u>Sanmina</u>	Ref.	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	CTT01	354	Number of Line Items	N0 1/6
			Total number of line items in the transaction set	

### CTT~2}

Segment:	SE Transaction Set Trailer
Position:	020
Loop:	
Level:	Summary
X12 Usage:	Mandatory
Sanmina Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes: Semantic Notes:	
Comments:	1 SE is the last segment of each transaction set.

Sanmina	<u>Ref.</u>	<u>Data</u>	Name	<u>Attributes</u>
<b>Required</b>	Desc.	<u>Element</u>		
Must Use	SE01	96	Number of Included Segments	N0 1/10
			Total number of segments included in a transaction set	
			including ST and SE segments	
Must Use	SE02	329	Transaction Set Control Number	AN 4/9
			Identifying control number that must be unique within	
			the transaction set functional group assigned by the	
			originator for a transaction set	

SE~17~0008}

#### Example: 856 Advance Ship Notice

```
ISA~00~
                  ~00~
                                 ~01~42307654333
~01~SANMINACORP
                   ~120603~1630~ ~00401~00000008~0~P~>}
GS~SH~42307654333~SANMINACORP~20140804~1630~08~X~004010}
ST~856~0008}
BSN~00~1206670124~20140804~102846}
DTM~011~20140804~102846~GM}
HL~1~~S}
MEA \sim PD \sim G \sim 50 \sim LB
TD5~O~2~HMES~M~USF HOLLAND}
REF~PK~661324532}
REF~WY~C3244524555}
N1~SE~XYZ Corporation~92~XYZ001}
N1~ST~SANMINA CORPORATION~92~12255}
HL~2~~I}
LIN~~BP~LFSYS2781151~EC~2~MG~LT1121CS8~MF~XYZ Corporation}
SN1~1~1500~EA}
PRF~B3412456~14~~20140804~014001001}
CTT \sim 2
SE~16~0008}
GE~1~08}
IEA~1~00000008}
```

#### Including Optional "REF" and "DTM" Values

```
ISA~00~
                  ~00~
                                 ~01~42307654333
~01~SANMINACORP
                    ~120603~1630~ ~00401~00000008~0~P~>}
GS~SH~42307654333~SANMINACORP~20140804~1630~08~X~004010}
ST~856~0008}
BSN~00~1206670124~20140804~102846}
DTM~011~20140804~102846~GM}
DTM~017~20140809~102846~GM}
HL \sim 1 \sim \sim S
MEA \sim PD \sim G \sim 50 \sim LB
TD5~O~2~HMES~M~USF HOLLAND}
REF~PK~661324532}
REF~AW~45324532}
REF~BM~A324563}
REF~WY~561324532}
N1~SE~XYZ Corporation~92~XYZ001}
N1~ST~SANMINA CORPORATION~92~12255}
HL~2~~I}
LIN~~BP~LFSYS2781151~EC~2~MG~LT1121CS8~MF~XYZ Corporation}
SN1~1~1500~EA}
PRF~B3412456~14~~20140804~014001001}
CTT \sim 2
SE~17~0008}
GE~1~08}
IEA~1~00000008}
```